Material Safety Data Sheet

Version:01
Revision Date 28/4/2025

Section 1. Product Information and Company Identification			
Product name	Cyclohexanol		
Mol. formula	$C_6H_{12}O$	**CAS No.**	108-93-0
Mol.wt	100,16 g/mol		
manufacturer name	Pioneers for laboratory chemicals		
Brand name	Piochem		
Address	Area 540, Industrial Zone 6th October city Giza, Egypt.		
Website	www.piochem.com		
E-mail	info@piochem.com		
Phone number	+201225728304 , +201023932115		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008
Acute toxicity, Inhalation (Category 4), H332
Acute toxicity, Oral (Category 4), H302
Skin irritation (Category 2), H315
Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Xn	Harmful	R20/22
Xi	Irritant	R37/38

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008
Pictogram

Signal word Warning

Hazard statement(s)

H302 + H332	Harmful if swallowed or if inhaled
H315	Causes skin irritation.
H335	May cause respiratory irritation.

Precautionary statement(s)

P261	Avoid breathing vapours.

Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula	:	C_{6H12O}
Molecular weight	:	100,16 g/mol
CAS-No.	:	108-93-0
EC-No.	:	203-630-6
Index-No.	:	603-009-00-3

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Cyclohexanol			
CAS-No.	108-93-0	Acute Tox. 4; Skin Irrit. 2;	<= 100 %
EC-No.	203-630-6	STOT SE 3; H315, H302,	
Index-No.	603-009-00-3	H332, H335	

Hazardous ingredients according to Directive 1999/45/EC

Component		Classification	Concentration
Cyclohexanol			
CAS-No.	108-93-0	Xn, R20/22 - R37/38	<= 100 %
EC-No.	203-630-6		
Index-No.	603-009-00-3		

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed
The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed
No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture
Carbon oxides

5.3 Advice for firefighters
Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information
Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
For personal protection see section 8.

6.2 Environmental precautions
Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up
Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections
For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling
Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.
Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge.
For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities
Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

hygroscopic
Storage class (TRGS 510): Combustible liquids

7.3 Specific end use(s)
Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls
Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection
Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection
Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection
Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection
Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure
Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	pH	6,5 at 40 g/l at 20 °C
e)	Melting point/freezing point	Melting point/range: 20 - 22 °C - lit.
f)	Initial boiling point and boiling range	160 - 161 °C - lit.
g)	Flash point	68 °C - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 12,25 %(V) Lower explosion limit: 1,25 %(V)
k)	Vapour pressure	1,31 hPa at 25 °C
l)	Vapour density	4,01
m)	Relative density	0,948 g/cm3 at 25 °C

n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	log Pow: 1,25 at 25 °C
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

9.2 Other safety information

Relative vapour density 4,01

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.
Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

Other decomposition products - No data available
In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 1.400 mg/kg
Remarks: Behavioral:Somnolence (general depressed activity). Lungs, Thorax, or Respiration:Other changes. Nutritional and Gross Metabolic:Weight loss or decreased weight gain.

LD50 Dermal - Rabbit - > 1.000 mg/kg

Skin corrosion/irritation

Skin - Rabbit
Result: Skin irritation

Serious eye damage/eye irritation

Eyes - Rabbit
Result: Moderate eye irritation

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

Human
leukocyte
Cytogenetic analysis

Mammal
lymphocyte
DNA damage

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

Reproductive toxicity - Rat - Subcutaneous
Paternal Effects: Spermatogenesis (including genetic material, sperm morphology,motility, and count). Paternal Effects: Testes, epididymis, sperm duct. Paternal Effects: Prostate, seminal vessicle, Cowper's gland, accessory glands.

Reproductive toxicity - Gerbil - Subcutaneous
Paternal Effects: Spermatogenesis (including genetic material, sperm morphology,motility, and count). Paternal Effects: Testes, epididymis, sperm duct. Paternal Effects: Prostate, seminal vessicle, Cowper's gland, accessory glands.

Specific target organ toxicity - single exposure
May cause respiratory irritation.

Specific target organ toxicity - repeated exposure
No data available

Aspiration hazard
No data available

Additional Information
RTECS: GV7875000

prolonged or repeated exposure can cause:, Headache, Nausea, Tremors, Incoordination., burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 705 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - > 500 mg/l - 48 h
Toxicity to algae	EC50 - Desmodesmus subspicatus (green algae) - 29,2 mg/l - 72 h

12.2 Persistence and degradability
No data available

12.3 Bioaccumulative potential
No data available

12.4 Mobility in soil
No data available

12.5 Results of PBT and vPvB assessment
This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects
Harmful to aquatic life.

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product
This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging
Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number
ADR/RID: -
IMDG: -
IATA: -

14.2 UN proper shipping name
ADR/RID: Not dangerous goods
IMDG: Not dangerous goods
IATA: Not dangerous goods

14.3 Transport hazard class(es)
ADR/RID: -
IMDG: -
IATA: -

14.4 Packaging group
ADR/RID: -
IMDG: -
IATA: -

14.5 Environmental hazards
ADR/RID: no
IMDG Marine pollutant: no
IATA: no

14.6 Special precautions for user
No data available

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
H302	Harmful if swallowed.
H315	Causes skin irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
Skin Irrit.	Skin irritation
STOT SE	Specific target organ toxicity - single exposure

Full text of R-phrases referred to under sections 2 and 3

Xn	Harmful
R20/22	Harmful by inhalation and if swallowed.
R37/38	Irritating to respiratory system and skin.