

# Material Safety Data Sheet

Version:01

Revision Date 27/4/2025

Section 1. Product Information and Company Identification			
<b>Product name</b>	Copper Acetate Monohydrate		
<b>Mol. formula</b>	C <sub>4</sub> H <sub>6</sub> CuO <sub>4</sub> ·H <sub>2</sub> O	<b>CAS No.</b>	6046-93-1
<b>Mol.wt</b>	199.65 g/mol		
<b>Manufacturer name</b>	Pioneers for laboratory chemicals		
<b>Brand name</b>	Piochem		
<b>Address</b>	Area 540, Industrial Zone 6 <sup>th</sup> October city Giza, Egypt.		
<b>Website</b>	www.piochem.com		
<b>E-mail</b>	info@piochem.com		
<b>Phone number</b>	+201225728304 , +201023932115		

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 4), H302  
 Skin corrosion (Category 1B), H314  
 Acute aquatic toxicity (Category 1), H400  
 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 Label elements

#### Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H302

H314

H410

Harmful if swallowed.  
 Causes severe skin burns and eye damage.  
 Very toxic to aquatic life with long lasting effects.

#### Precautionary statement(s)

P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Synonyms	:	Cupric acetatemonohydrate
Formula	:	C <sub>4</sub> H <sub>6</sub> CuO <sub>4</sub> ·H <sub>2</sub> O
Molecular weight	:	199.65 g/mol
CAS-No.	:	6046-93-1
EC-No.	:	205-553-3

#### Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
<b>Copper di(acetate)</b>			
CAS-No.	6046-93-1	Acute Tox. 4; Skin Corr. 1B;	<= 100 %
EC-No.	205-553-3	Aquatic Acute 1; Aquatic Chronic 1; H302, H314, H400, H410	
		M-Factor - Aquatic Acute: 1	

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**5.2 Special hazards arising from the substance or mixture**

Carbon oxides, Copper oxides

**5.3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

**5.4 Further information**

No data available

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.  
For personal protection see section 8.

**6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

**6.3 Methods and materials for containment and cleaning up**

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections**

For disposal see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.  
Provide appropriate exhaust ventilation at places where dust is formed.  
For precautions see section 2.2.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.  
Storage class (TRGS 510): Non-combustible, corrosive hazardous materials

**7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****8.2 Exposure controls****Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

**Personal protective equipment****Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

**Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use (EN 143) respirator cartridges as a backup to engineering controls. If the full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

a) Appearance	Form: solid Colour: greenish-blue
b) Odour	odourless
c) Odour Threshold	No data available
d) pH	5.2 - 5.5 at 20 g/l at 20 °C
e) Melting point/freezing point	Melting point/range: 115 °C
f) Initial boiling point and boiling range	No data available
g) Flash point	No data available
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	No data available
k) Vapour pressure	No data available
l) Vapour density	No data available
m) Relative density	1.882 g/cm <sup>3</sup> at 20 °C
n) Water solubility	70 g/l at 20 °C - soluble
o) Partition coefficient: n-octanol/water	No data available
p) Auto-ignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

## 9.2 Other safety information

Bulk density 1,000 kg/m<sup>3</sup>

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

#### 10.5 Incompatible materials

Oxidizing agents

#### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Copper oxides  
Other decomposition products - No data available  
In the event of fire: see section 5

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

LD50 Oral - Rat - > 300 - < 2,000 mg/kg(Copper di(acetate))  
(Fixed Dose Method)  
LD50 Dermal - Rat - > 2,000 mg/kg(Copper di(acetate))  
(OECD Test Guideline 402)

##### Skin corrosion/irritation

Skin - EPISKIN Human Skin Model Test(Copper di(acetate))  
Result: Causes burns.  
(OECD Test Guideline 431)

##### Serious eye damage/eye irritation

Eyes - Rabbit(Copper di(acetate))  
Result: Risk of serious damage to eyes.  
(OECD Test Guideline 405)

##### Respiratory or skin sensitisation

Maximisation Test - Guinea pig(Copper di(acetate))  
Does not cause skin sensitisation.  
(OECD Test Guideline 406)  
Remarks: No data available

##### Germ cell mutagenicity

No data available(Copper di(acetate))

##### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

##### Reproductive toxicity

No data available(Copper di(acetate))

##### Specific target organ toxicity - single exposure

No data available(Copper di(acetate))

##### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available(Copper di(acetate))

#### Additional Information

RTECS: AG3500000

Symptoms of systemic copper poisoning may include: capillary damage, heada central nervous system excitation followed by depression, jaundice, convu renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, copper deposition in the cornea as exemplified by humans with Wilson's di lead to hemolytic anemia and accelerates arteriosclerosis., Cough, Shortness of breath, Headache, Nausea, Vomiting, Gastrointestinal disturbance, Blood disorders, Liver injury may occur., Damage to the lungs.(Copper di(acetate))

### SECTION 12: Ecological information

#### 12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 0.39 mg/l - 96.0 h(Copper di(acetate))

#### 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available(Copper di(acetate))

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chem scrubber.

##### Contaminated packaging

Dispose of as unused product.

### SECTION 14: Transport information

#### 14.1 UN number

ADR/RID: 1759

IMDG: 1759

IATA: 1759

#### 14.2 UN proper shipping name

ADR/RID: CORROSIVE SOLID, N.O.S. (Copper di(acetate))

IMDG: CORROSIVE SOLID, N.O.S. (Copper di(acetate))

IATA: Corrosive solid, n.o.s. (Copper di(acetate))

#### 14.3 Transport hazard class(es)

ADR/RID: 8

IMDG: 8

IATA: 8

#### 14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

#### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

**14.6 Special precautions for user**

No data available

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

**15.2 Chemical safety assessment**

For this product a chemical safety assessment was not carried out

**SECTION 16: Other information****Full text of H-Statements referred to under sections 2 and 3.**

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H400	Very toxic to aquatic life.