

# Material Safety Data Sheet

Version:01

Revision Date 23/4/2025

| Section 1. Product Information and Company Identification |   |         |         |
|---|---|---------|---------|
| Product name  | Chloroacetic acid mono  |         |         |
| Mol. formula  | C <sub>2</sub> H <sub>3</sub> ClO <sub>2</sub>                      | CAS No. | 79-11-8 |
| Mol.wt  | 94,50 g/mol   |         |         |
| manufacturer name   | Pioneers for laboratory chemicals                                   |         |         |
| Brand name  | Piochem   |         |         |
| Address   | Area 540, Industrial Zone 6 <sup>th</sup> October city Giza, Egypt. |         |         |
| Website   | www.piochem.com   |         |         |
| E-mail  | info@piochem.com  |         |         |
| Phone number  | +201225728304 , +201023932115                                       |         |         |

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

|                                   |  |
|-----------------------------------|--|
| Acute toxicity, (Category 3)      | H301: Toxic if swallowed.                      |
| Acute toxicity, (Category 3)      | H331: Toxic if inhaled.                        |
| Acute toxicity, (Category 3)      | H311: Toxic in contact with skin.              |
| Skin corrosion, (Sub-category 1B) | H314: Causes severe skin burns and eye damage. |

Serious eye damage, (Category 1)

H318: Causes serious eye damage.

Specific target organ toxicity - single exposure, (Category 3), Respiratory system

H335: May cause respiratory irritation.

Short-term (acute) aquatic hazard, (Category 1)

H400: Very toxic to aquatic life.

## 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal Word

Danger

Hazard Statements

H301 + H311 + H331

Toxic if swallowed, in contact with skin or if inhaled.

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H400

Very toxic to aquatic life.

Precautionary Statements

P260

Do not breathe dust.

P273

Avoid release to the environment.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statements

none

### Reduced Labeling (<= 125 ml)

Pictogram



Signal Word

Danger

Hazard Statements

H314

Causes severe skin burns and eye damage.

H301 + H311 + H331

Toxic if swallowed, in contact with skin or if inhaled.

Precautionary Statements

P260

Do not breathe dust.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statements

none

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Rapidly absorbed through skin.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Synonyms : Monochloroacetic acid

Formula : C<sub>2</sub>H<sub>3</sub>ClO<sub>2</sub>

Molecular weight : 94,50 g/mol

CAS-No. : 79-11-8

EC-No. : 201-178-4

Index-No. : 607-003-00-1

| Component                |              | Classification   | Concentration |
|--------------------------|--------------|--|---------------|
| <b>chloroacetic acid</b> |              |  |               |
| CAS-No.                  | 79-11-8      | Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; STOT SE 3; Aquatic Acute 1; H301, H331, H311, H314, H318, H335, H400<br>Concentration limits:<br>>= 5 %: STOT SE 3, H335;<br>M-Factor - Aquatic Acute: 10 | <= 100 %      |
| EC-No.                   | 201-178-4    |  |               |
| Index-No.                | 607-003-00-1 |  |               |

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

**If inhaled**

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

**In case of skin contact**

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

**In case of eye contact**

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

**If swallowed**

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

---

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

**Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

**5.2 Special hazards arising from the substance or mixture**

Carbon oxides

Hydrogen chloride gas

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

**5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

**5.4 Further information**

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

## **6.2 Environmental precautions**

Do not let product enter drains.

## **6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

## **6.4 Reference to other sections**

For disposal see section 13.

---

# **SECTION 7: Handling and storage**

## **7.1 Precautions for safe handling**

### **Advice on safe handling**

Work under hood. Do not inhale substance/mixture.

### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.  
For precautions see section 2.2.

## **7.2 Conditions for safe storage, including any incompatibilities**

### **Storage conditions**

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

### **Storage class**

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

## **7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

# **SECTION 8: Exposure controls/personal protection**

## **8.1 Control parameters**

### **Ingredients with workplace control parameters**

## **8.2 Exposure controls**

### **Personal protective equipment**

#### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please

contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Latex gloves

Minimum layer thickness: 0,6 mm

Break through time: 480 min

Material tested: Lapren® (KCL 706 / Aldrich Z677558, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm

Break through time: 30 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

### **Body Protection**

Acid-resistant protective clothing

### **Respiratory protection**

Recommended Filter type: Filter A-(P3)

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### **Control of environmental exposure**

Do not let product enter drains.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

- |   |  |
|---|--|
| a) Physical state                               | crystalline                                      |
| b) Color  | white  |
| c) Odor   | No data available                                |
| d) Melting point/freezing point                 | Melting point/ range: 60 - 63 °C - lit.          |
| e) Initial boiling point and boiling range      | 189 °C - lit.                                    |
| f) Flammability (solid, gas)                    | No data available                                |
| g) Upper/lower flammability or explosive limits | Lower explosion limit: 8 %(V)                    |
| h) Flash point                                  | 126 °C - closed cup                              |
| i) Autoignition temperature                     | 475 °C<br>at > 1.011,9 - < 1.022 hPa - DIN 51794 |
| j) Decomposition temperature                    | No data available                                |

- |  |   |
|--|---|
| k) pH  | < 1,0 at 800 g/l at 20 °C<br>(External MSDS)  |
| l) Viscosity                                 | Viscosity, kinematic: No data available<br>Viscosity, dynamic: 1,29 mPa.s at 100 °C |
| m) Water solubility                          | 1.000 g/l at 20 °C - OECD Test Guideline 105- miscible                              |
| n) Partition coefficient:<br>n-octanol/water | log Pow: 0,49 - OECD Test Guideline 107 - Bioaccumulation is<br>not expected.       |
| o) Vapor pressure                            | 0,0213 hPa at 20 °C - OECD Test Guideline 104                                       |
| p) Density                                   | 1,64 g/cm <sup>3</sup> at 20 °C - OECD Test Guideline 109                           |
| Relative density                             | 1,64 at 20 °C - OECD Test Guideline 109   |
| q) Relative vapor<br>density                 |   |
| r) Particle<br>characteristics               | No data available   |
|  |   |
| s) Explosive properties                      | Not classified as explosive.  |
| t) Oxidizing properties                      | none  |

## 9.2 Other safety information

- |                       |   |
|-----------------------|---|
| Surface tension       | 73,1 mN/m at 20 °C<br>- OECD Test Guideline 115 |
| Dissociation constant | 2,8 at 20 °C<br>- OECD Test Guideline 112       |

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.  
A range from approx. 15 Kelvin below the flash point is to be rated as critical.  
The following applies in general to flammable organic substances and mixtures: in  
correspondingly fine distribution, when whirled up a dust explosion potential may generally  
be assumed.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with:  
sodium carbonate  
calcium carbonate  
Potassium carbonate  
Sulfides  
Metals  
Exothermic reaction with:  
Amines  
bases  
Reducing agents  
Strong oxidizing agents  
Sulfides  
hydrogen peroxide

Risk of explosion with:  
furfuryl alcohol  
hydrogen peroxide

#### **10.4 Conditions to avoid**

Strong heating.

#### **10.5 Incompatible materials**

No data available

#### **10.6 Hazardous decomposition products**

In the event of fire: see section 5

---

### **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

##### **Acute toxicity**

LD50 Oral - Rat - female - 90,4 mg/kg

(OECD Test Guideline 401)

Acute toxicity estimate Oral - 90,4 mg/kg

(Calculation method)

LC50 Inhalation - Rat - male and female - 4 h - > 1,268 mg/l - dust/mist

(OECD Test Guideline 403)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

LD50 Dermal - Rat - female - 305 mg/kg

(OECD Test Guideline 402)

Acute toxicity estimate Dermal - 305 mg/kg

(Calculation method)

##### **Skin corrosion/irritation**

Skin - Rabbit

Result: Corrosive - 24 h

Remarks: (ECHA)

##### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Irreversible effects on the eye

Remarks: Causes serious eye damage.

(ECHA)

##### **Respiratory or skin sensitization**

Local lymph node assay (LLNA) - Mouse

Result: Not a skin sensitizer.

(OECD Test Guideline 429)

##### **Germ cell mutagenicity**

Test Type: Ames test

Test system: *S. typhimurium*

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: negative



Remarks: (ECHA)

Test Type: DNA binding study

Species: Mouse

Application Route: Oral

Result: negative

Remarks: (ECHA)

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

Inhalation - May cause respiratory irritation. - Respiratory Tract

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

## 11.2 Additional Information

### Endocrine disrupting properties

**Product:**

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - 90 d - LOAEL (Lowest observed adverse effect level) - 30 mg/kg

Remarks: Subchronic toxicity

RTECS: AF8575000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## SECTION 12: Ecological information

---

### 12.1 Toxicity

Toxicity to fish

static test LC50 - Poecilia reticulata (guppy) - 369 mg/l - 96 h  
Remarks: (ECHA)

Toxicity to daphnia  
and other aquatic  
invertebrates

magna (Water flea) - 74,2 mg/l - 48 h (OECD Test Guideline 202)

static test EC50  
- Daphnia

|   |  |
|---|--|
| Toxicity to algae   | static test ErC50 - Desmodesmus subspicatus (green algae) - 0,033 mg/l - 72 h<br>(OECD Test Guideline 201) |
|   | static test NOEC - Desmodesmus subspicatus (green algae) - 0,006 mg/l - 72 h<br>(OECD Test Guideline 201)  |
| Toxicity to fish(Chronic toxicity)                                    | semi-static test NOEC - Danio rerio (zebra fish) - < 25 mg/l - 35 d<br>(OECD Test Guideline 210)           |
| Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity) | semi-static test NOEC - Daphnia magna (Water flea) - 32 mg/l - 21 d<br>Remarks: (ECHA)                     |

## 12.2 Persistence and degradability

|                  |  |
|------------------|--|
| Biodegradability | aerobic - Exposure time 28 d<br>Result: 69 % - Readily biodegradable.<br>Remarks: (ECHA) |
|------------------|--|

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

### Product:

|            |   |
|------------|---|
| Assessment | : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |
|------------|---|

## 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

No data available

---

## SECTION 14: Transport information

### 14.1 UN number

|               |            |            |
|---------------|------------|------------|
| ADR/RID: 1751 | IMDG: 1751 | IATA: 1751 |
|---------------|------------|------------|

**14.2 UN proper shipping name**

ADR/RID: CHLOROACETIC ACID, SOLID  
IMDG: CHLOROACETIC ACID, SOLID  
IATA: Chloroacetic acid, solid

**14.3 Transport hazard class(es)**

ADR/RID: 6.1 (8)                      IMDG: 6.1 (8)                      IATA: 6.1 (8)

**14.4 Packaging group**

ADR/RID: II                              IMDG: II                              IATA: II

**14.5 Environmental hazards**

ADR/RID: yes                              IMDG Marine pollutant: yes                      IATA: no

**14.6 Special precautions for user**

Tunnel restriction code : (D/E)

Further information : No data available

**SECTION 15: Regulatory information**

---

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

**National legislation**

Seveso III: Directive 2012/18/EU of the H2 ACUTE TOXIC  
European Parliament and of the Council  
on the control of major-accident hazards  
involving dangerous substances.

E1 ENVIRONMENTAL HAZARDS

**Other regulations**

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

**15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

---

**SECTION 16: Other information****Full text of H-Statements**

|      |  |
|------|--|
| H301 | Toxic if swallowed.                      |
| H311 | Toxic in contact with skin.              |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage.               |
| H331 | Toxic if inhaled.                        |
| H335 | May cause respiratory irritation.        |
| H400 | Very toxic to aquatic life.              |