

# **Material Safety Data Sheet**

Version:02 Revision Date 28/4/2025

ACTION DATE BUT ITEMS					
Section 1	Section 1. Product Information and Company Identification				
Product name	Diethyl Ether				
Mol. formula	C4H10O	60-29-7			
Mol.wt	74,12 g/mol Pioneers for laboratory chemicals				
manufacturer name					
Brand name	Piochem				
Address	Area 540, Industrial Zone 6 <sup>th</sup> October city Giza, Egypt.				
Website	www.piochem.com				
E-mail	info@piochem.com				
Phone number	+201225728304 , +201023932115				

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 1), H224

Acute toxicity, Oral (Category 4), H302

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

# Classification according to EU Directives 67/548/EEC or 1999/45/EC

F+ Extremely flammable R12

R19

Xn Harmful R22

R66 R67

For the full text of the R-phrases mentioned in this Section, see Section 16.

### 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

R/D-SOP-001-F02	Page 1 of 8	Issue Date: 03/11/2024	Effective Date:03/12/2024	Review Date: 03/12/2027	Issue No. 01	
-----------------	-------------	------------------------	---------------------------	-------------------------	--------------	--



### Pictogram



Signal word Danger

Hazard statement(s)

H224 Extremely flammable liquid and vapour.

H302 Harmful if swallowed.

H336 May cause drowsiness or dizziness.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P261 Avoid breathing vapours.

Supplemental Hazard information (EU)

EUH019 May form explosive peroxides.

EUH066 Repeated exposure may cause skin dryness or cracking.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

3.1 Substances

Synonyms : Ether

Ethyl ether

Formula : C4H10O Molecular weight : 74,12 g/mol CAS-No. : 60-29-7 EC-No. : 200-467-2 Index-No. : 603-022-00-4

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component Classification Concentration

Diethyl ether

CAS-No. 60-29-7 Flam. Liq. 1; Acute Tox. 4; <= 100 %

EC-No. 200-467-2 STOT SE 3; H224, H302, Index-No. 603-022-00-4 H336, EUH019, EUH066

Hazardous ingredients according to Directive 1999/45/EC

Component Classification Concentration

Diethyl ether

CAS-No. 60-29-7 F+, Xn, R12 - R19 - R22 - R66 <= 100 %

EC-No. 200-467-2 - R67

Index-No. 603-022-00-4

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

R/D-SOP-001-F02	Page 2 of 8	Issue Date: 03/11/2024	Effective Date:03/12/2024	Review Date: 03/12/2027	Issue No. 01



#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

R/D-SOP-001-F02   Page 3 of 8   Issue Date: 03/11/20	4   Effective Date:03/12/2024	Review Date: 03/12/2027	Issue No. 01	
--	-------------------------------	-------------------------	--------------	--



For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Components with workplace control parameters

### 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Colour: colourless

b) Odour sweet, ether-like

c) Odour Threshold No data available

d) pH No data available

e) Melting point/freezing Melting point/range: -115,99 °C

point

) Initial boiling point and 34,6 °C at 1.013 hPa

boiling range

g) Flash point -39,99 °C - closed cup - DIN 51755 Part 1



h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

k) Vapour pressure 189 hPa at 0 °C

389 hPa at 10 °C 563 hPa at 20 °C 863 hPa at 30 °C 1.228 hPa at 40 °C 2.311 hPa at 60 °C

I) Vapour density 2,56 - (Air = 1.0)

m) Relative density 0,71 g/cm3 at 20 °C
 n) Water solubility No data available
 o) Partition coefficient: n- octanol/water

p) Auto-ignition 170 °C

q) Decomposition temperature

temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

Relative vapour density 2,56 - (Air = 1.0)

### **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions. Contains the following stabiliser(s): BHT (1 ppm)

## 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Heat, flames and sparks.

## 10.5 Incompatible materials

Oxidizing agents, Strong acids

### 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

R/D-SOP-001-F02	Page 5 of 8	Issue Date: 03/11/2024	Effective Date:03/12/2024	Review Date: 03/12/2027	Issue No. 01
K/IJ-SUJE-UUI-EUZ					



### **Acute toxicity**

LD50 Oral - Rat - 1.215 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Mouse - 30 min - 31000 ppm

Remarks: Behavioral: Convulsions or effect on seizure threshold.

LC50 Inhalation - Rat - 4 h - 32000 ppm

LD50 Dermal - Rabbit - > 14,2 g/kg

### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation (OECD Test Guideline 404)

### Serious eye damage/eye irritation

Eves - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

### Respiratory or skin sensitisation

in vivo assay - Mouse

Result: Did not cause sensitisation on laboratory animals.

(OECD Test Guideline 429)

### Germ cell mutagenicity

No data available

# Carcinogenicity

No data available

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

#### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: KI5775000

Inhalation may provoke the following symptoms:

Cough, chest pain, Difficulty in breathing, Dizziness, Drowsiness, Contact with eyes can cause:, Redness, Provokes tears., Blurred vision, Prolonged or repeated exposure to skin causes defatting and dermatitis.

Liver - Ingestion may provoke the following symptoms:, Irregularities - Based on Human Evidence

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 2.560 mg/l - 96 h

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 165 mg/l - 24 h

R/D-SOP-001-F02	Page 6 of 8	Issue Date: 03/11/2024	Effective Date:03/12/2024	Review Date: 03/12/2027	Issue No. 01



other aquatic invertebrates

(DIN 38412)

Toxicity to algae

NOEC - Desmodesmus subspicatus (green algae) - > 100 mg/l - 72 h

(OECD Test Guideline 201)

### 12.2 Persistence and degradability

Biodegradability Result: - Not readily biodegradable.

### 12.3 Bioaccumulative potential

No bioaccumulation is to be expected (log Pow <= 4).

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

### Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

### 14.1 UN number

ADR/RID: 1155 IMDG: 1155 IATA: 1155

# 14.2 UN proper shipping name

ADR/RID: DIETHYL ETHER IMDG: DIETHYL ETHER IATA: Diethyl ether

### 14.3 Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

# 14.4 Packaging group

ADR/RID: I IMDG: I IATA: I

### 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA:no

### 14.6 Special precautions for user

No data available

### **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2 Chemical Safety Assessment



For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

EUH019 May form explosive peroxides.

EUH066 Repeated exposure may cause skin dryness or cracking.

Flam. Liq. Flammable liquids

H224 Extremely flammable liquid and vapour.

H302 Harmful if swallowed.

H336 May cause drowsiness or dizziness.

STOT SE Specific target organ toxicity - single exposure

# Full text of R-phrases referred to under sections 2 and 3

F+ Extremely flammable

Xn Harmful

R12 Extremely flammable.

R19 May form explosive peroxides.

R22 Harmful if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.