

Material Safety Data Sheet

Version:01 Revision Date 22/5/2025

Revision Date and 2020					
Section 1. Product Information and Company Identification					
Product name	Sodium Arsenate Dibasic				
Mol. formula	Na2HAsO4.7H2O	CAS No.	10048-95-0		
Mol.wt	312.01 g\mol				
Manufacturer name	Pioneers for laboratory chemicals				
Brand name	Piochem				
Address	Area 540, Industrial Zone 6 th October city Giza, Egypt.				
Website	www.piochem.com				
E-mail	info@piochem.com				
Phone number	+201225728304 , +201023932115				

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Carcinogenicity (Category 1A), H350 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

		R45
N	Dangerous for the	R50/53
	environment	
Т	Toxic	R23/25
		R45
Т	Toxic	R23/25
N	Dangerous for the	R50/53
	environment	

For the full text of the R-phrases mentioned in this Section, see Section 16.



Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word Danger

Hazard statement(s)

H301 + H331 Toxic if swallowed or if inhaled

H350 May cause cancer.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

P261 Avoid breathing dust.

P273 Avoid release to the environment.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/

physician

none

P311 Call a POISON CENTER or doctor/ physician.

P501 Dispose of contents/ container to an approved waste disposal plant.

Supplemental Hazard

Statements

Restricted to professional users.

2.3 Other hazards - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : di-Sodium hydrogen arsenate heptahydrate

Disodium hydrogen arsenate heptahydrate

Formula : HAsNa₂O₄ · 7H₂O Molecular Weight : 312,02 g/mol

CAS-No. : 10048-95-0 Index-No. : 033-005-00-1

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component Classification Concentration

Sodium arsenate dibasic heptahydrate

CAS-No. 10048-95-0 Acute Tox. 3; Carc. 1A; <= 100 %

Index-No. 033-005-00-1 Aquatic Acute 1; Aquatic

Chronic 1; H301 + H331,

H350, H410

Hazardous ingredients according to Directive 1999/45/EC

Component Classification Concentration

Sodium arsenate dibasic heptahydrate

CAS-No. 10048-95-0 T, N, T, N, Carc.Cat.1, <= 100 %

Index-No. 033-005-00-1 Carc.Cat.1, R45 - R23/25 - R50/53R45 - R23/25 - R50/53

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

R/D-SOP-001-F02	Page 2 of 7	Issue Date: 03/11/2024	Effective Date:03/12/2024	Review Date: 03/12/2027	Issue No. 01
-----------------	-------------	------------------------	---------------------------	-------------------------	--------------



If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Sodium oxides, Arsenic oxides

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Avoid exposure - obtain special instructions before use.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

R/D-SOP-001-F02 Page 3 of 7 Issue Date: 03/11/2024 Effective Date: 03/12/2024 Review Date: 03/12/2027 Issue No. 01



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

m) Relative density

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: crystalline Colour: white
b)	Odour	no data available
c)	Odour Threshold	no data available
d)	рН	8,5 - 9,0 at 50 g/l at 25 °C
e)	Melting point/freezing point	Melting point/range: 180 °C
f)	Initial boiling point and boiling range	no data available
g)	Flash point	not applicable
h)	Evapouration rate	no data available
i)	Flammability (solid, gas)	no data available
j)	Upper/lower flammability or explosive limits	no data available
k)	Vapour pressure	no data available
I)	Vapour density	no data available

R/D-SOP-001-F02 | Page 4 of 7 | Issue Date: 03/11/2024 | Effective Date: 03/12/2024 | Review Date: 03/12/2027 | Issue No. 01

1,880 g/cm3



n) Water solubility no data available
o) Partition coefficient: n- no data available octanol/water

p) Auto-ignition no data available temperature

q) Decomposition temperature

no data available

r) Viscosity no data available
s) Explosive properties no data available
t) Oxidizing properties no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Strong oxidizing agents, Strong acids

10.6 Hazardous decomposition products

Other decomposition products - no data available In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

no data available

Inhalation: no data available

LD50 Intramuscular - mouse - 87,36 mg/kg LD50 Intramuscular - mouse - 87,36 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

Laboratory experiments have shown mutagenic effects.



Carcinogenicity

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

Possible human carcinogen

IARC: 1 - Group 1: Carcinogenic to humans (Sodium arsenate dibasic heptahydrate)

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

RTECS: CG0900000

burning, dry nose, dry mouth, Muscle cramps/spasms., Nausea, Vomiting, Diarrhoea, Shock., death, May cause irritation of the:, Gastrointestinal tract

SECTION 12: Ecological information

12.1 Toxicity

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

R/D-SOP-001-F02 | Page 6 of 7 | Issue Date: 03/11/2024 | Effective Date: 03/12/2024 | Review Date: 03/12/2027 | Issue No. 01



SECTION 14: Transport information

14.1 UN number

ADR/RID: 1685 IMDG: 1685 IATA: 1685

14.2 UN proper shipping name

ADR/RID: SODIUM ARSENATE IMDG: SODIUM ARSENATE IATA: Sodium arsenate

14.3 Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

14.6 Special precautions for user

no data available

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no data available

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity Aquatic Chronic Chronic aquatic toxicity Carc. Carcinogenicity

Toxic if swallowed. H301 H301 + H331

Toxic if swallowed or if inhaled

H331 Toxic if inhaled. H350 May cause cancer.

Full text of R-phrases referred to under sections 2 and 3

Ν Dangerous for the environment

R23/25 Toxic by inhalation and if swallowed.

May cause cancer. R45

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R/D-SOP-001-F02 Issue Date: 03/11/2024 Effective Date:03/12/2024 Review Date: 03/12/2027 Issue No. 01 Page 7 of 7