

Material Safety Data Sheet

Version:01 Revision Date 15/5/2025

Section 1. Product Information and Company Identification				
Product name	Petroleum Ether	Petroleum Ether Boiling Range 60-80°C		
Mol. formula	C6H14	CAS No.	8032-32-4	
Mol.wt	86.2 g\mol			
Manufacturer name	Pioneers for laboratory chemicals			
Brand name	Piochem			
Address	Area 540, Industrial Zone 6 th October city Giza, Egypt.			
Website	www.piochem.com			
E-mail	info@piochem.com			
Phone number	+201225728304 , +201023932115			

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 2), H225 Skin irritation (Category 2), H315 Reproductive toxicity (Category 2), H361 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336 Specific target organ toxicity - repeated exposure, Inhalation (Category 2), H373 Aspiration hazard (Category 1), H304 Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 Pictogram



Signal word Hazard statement(s) H225 H304

Highly flammable liquid and vapour. May be fatal if swallowed and enters airways.



H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure if inhaled.
H411	Toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P210	Keep away from heat, hot surfaces, sparks, open flames and other
	ignition sources. No smoking.
P261	Avoid breathing vapours.
P273	Avoid release to the environment.
P281	Use personal protective equipment as required.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
Supplemental Hazard Statements	none

2.3 Other hazards

3.1

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

Substances Synonyms	:	Petroleum benzin
CAS-No. EC-No.	-	8032-32-4 309-852-0

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Hydrocarbon mixture	e C5- C8 Aliphates		
CAS-No. EC-No.	8032-32-4 309-852-0	Flam. Liq. 2; Skin Irrit. 2; Repr. 2; STOT SE 3; STOT RE 2; Asp. Tox. 1; Aquatic Chronic 2; H225, H315, H361, H336, H373, H304, H411	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

R/D-SOP-001-F02	Page 2 of 7	Issue Date: 03/11/2024	Effective Date:03/12/2024	Review Date: 03/12/2027	Issue No. 01	l
-----------------	-------------	------------------------	---------------------------	-------------------------	--------------	---



SECTION 5: Firefighting measures

5.1 **Extinguishing media**

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Nature of decomposition products not known.

5.3 Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

- **Further information**
- 5.4 Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up 6.3

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 **Reference to other sections**

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

8.2 **Exposure controls**

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

R/D-SOP-001-F02	Page 3 of 7	Issue Date: 03/11/2024	Effective Date:03/12/2024	Review Date: 03/12/2027	Issue No. 01
-----------------	-------------	------------------------	---------------------------	-------------------------	--------------



Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (US) or type ABEK (EN 14387) respirator cartridges as a backup to enginee protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid, clear Colour: colourless
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	60 - 80 °C
g)	Flash point	-39.99 °C - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 7.8 %(V) Lower explosion limit: 1.4 %(V)
k)	Vapour pressure	270 hPa
I)	Vapour density	No data available
m)	Relative density	0.66 - 0.68 g/mL at 20 °C
n)	Water solubility	No data available
0)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available



SECTION 10: Stability and reactivity

- 10.1 Reactivity No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5** Incompatible materials Strong oxidizing agents
- 10.6 Hazardous decomposition products
 Hazardous decomposition products formed under fire conditions. Nature of decomposition products not
 known.
 Other decomposition products No data available
 In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data availableHydrocarbon mixture C5-C8 Aliphates

Skin corrosion/irritation

Irritating to skin.(Hydrocarbon mixture C5-C8 Aliphates)

Serious eye damage/eye irritation

No data available(Hydrocarbon mixture C5-C8 Aliphates)

Respiratory or skin sensitisation

No data available(Hydrocarbon mixture C5-C8 Aliphates)

Germ cell mutagenicity

No data available(Hydrocarbon mixture C5-C8 Aliphates)

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

Suspected human reproductive toxicant(Hydrocarbon mixture C5-C8 Aliphates)

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.(Hydrocarbon mixture C5-C8 Aliphates)

Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.(Hydrocarbon mixture C5-C8 Aliphates)

Additional Information

RTECS: Not available

Central nervous system depression(Hydrocarbon mixture C5-C8 Aliphates)



- 12.1 Toxicity No data available
- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available

12.4 Mobility in soil

No data available(Hydrocarbon mixture C5-C8 Aliphates)

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Toxic to aquatic life with long lasting effects.

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1	UN number ADR/RID: 1		IMDG: 1268	IATA: 1268
14.2		shipping name PETROLEUM DISTILL PETROLEUM DISTILL Petroleum distillates, n	ATES, N.O.S. (Hydrocarbon mixture	e C5-C8 Aliphates)
14.3	Transport ADR/RID: 3	hazard class(es)	IMDG: 3	IATA: 3
14.4	Packaging ADR/RID: I	• •	IMDG: II	IATA: II
14.5	Environme ADR/RID: r	ental hazards	IMDG Marine pollutant: no	IATA: no
14.6	Special pro	ecautions for user ailable		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H225 Highly flammable liquid and vapour.



H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure if inhaled.
H411	Toxic to aquatic life with long lasting effects.