

# **Material Safety Data Sheet**

Version:01 Revision Date 8/5/2025

Section 1. Product Information and Company Identification				
Product name	Lead Nitrate			
Mol. formula	Pb(NO3)2	CAS No.	10099-74-8	
Mol.wt	331.21g\mol			
Manufacturer name	Pioneers for laboratory chemicals			
Brand name	Piochem			
Address	Area 540, Industrial Zone 6 <sup>th</sup> October city Giza, Egypt.			
Website	www.piochem.com			
E-mail	info@piochem.com			
Phone number	+201225728304 , +201023932115			

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008

Oxidizing solids (Category 2), H272 Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 4), H332 Serious eye damage (Category 1), H318

Reproductive toxicity (Category 1A), H360Df

Specific target organ toxicity - repeated exposure (Category 2), H373

Acute aquatic toxicity (Category 1), H400

Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008


Pictogram













Signal word Danger

Hazard statement(s)

H272 May intensify fire; oxidizer.
H302 + H332 Harmful if swallowed or if inhaled
H318 Causes serious eye damage.

H360Df May damage the unborn child. Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P220 Keep/Store away from clothing/ combustible materials.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER or doctor/ physician.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard

Statements

none

Restricted to professional users.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

3.1 Substances

Formula : N2O6Pb

Molecular weight : 331,21 g/mol
CAS-No. : 10099-74-8
EC-No. : 233-245-9
Index-No. : 082-001-00-6

# Hazardous ingredients according to Regulation (EC) No 1272/2008

Component Classification Concentration

Lead nitrate Included in the Candidate List of Substances of Very High Concern (SVHC) according to

Regulation (EC) No. 1907/2006 (REACH)

CAS-No. 10099-74-8 Ox. Sol. 2; Acute Tox. 4; Eye <= 100 %

EC-No. 233-245-9 Dam. 1; Repr. 1A; STOT RE Index-No. 082-001-00-6 2; Aquatic Acute 1; Aquatic

Chronic 1; H272, H302, H332, H318, H360Df, H373, H400,

H410

Concentration limits:

>= 2,5 %: Repr. 2, H361f; >= 0,5 %: STOT RE 2, H373; M-Factor - Aquatic Acute: 10

For the full text of the H-Statements mentioned in this Section, see Section 16.

R/D-SOP-001-F02 | Page 2 of 8 | Issue Date: 03/11/2024 | Effective Date: 03/12/2024 | Review Date: 03/12/2027 | Issue No. 01



#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx), Lead oxides

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Avoid exposure - obtain special instructions before use.

R/D-SOP-001-F02   Page 3 of 8   Issue Date: 03/11/2024   Effective Date: 03/12/2024   Review Date: 0	3/12/2027	Issue No. 01
--	-----------	--------------



Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Keep away from heat and sources of ignition.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Storage class (TRGS 510): Oxidizing hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Components with workplace control parameters

### 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use

respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: solid Colour: white

b) Odourc) Odour ThresholdNo data available

d) pH No data availablee) Melting point/freezing Melting point/range: 470 °C - dec.

e) Melting point/freezing point

ng point and No data available

f) Initial boiling point and

boiling range

140 data available

g) Flash point No data available



No data available Evaporation rate Flammability (solid, gas) No data available Upper/lower j)

flammability or explosive limits No data available

k) Vapour pressure No data available Vapour density No data available

4,53 g/cm3 m) Relative density Water solubility 500 g/l

Partition coefficient: n-

No data available

octanol/water Auto-ignition

No data available

temperature Decomposition

temperature

No data available

Viscosity No data available r) Explosive properties No data available

Oxidizing properties The substance or mixture is classified as oxidizing with the category 2. t)

9.2 Other safety information

> Ethanol 0,4 g/l Solubility in other solvents Methanol 13,3 g/l

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

No data available

#### 10.5 Incompatible materials

Strong reducing agents, Organic materials, Powdered metals

### 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

### Information on toxicological effects

#### **Acute toxicity**

No data available

Inhalation: No data available

LD50 Intravenous - Rat - 93 mg/kg

LD50 Intraperitoneal - Mouse - 74 mg/kg

### Skin corrosion/irritation

No data available

R/D-SOP-001-F02	Page 5 of 8	Issue Date: 03/11/2024	Effective Date:03/12/2024	Review Date: 03/12/2027	Issue No. 01	
18/17-19(71 -00/1-1/02	1 426 5 01 0	155UC Date, V3/11/2024	Linculate Date 03/12/2027	INCVIEW Date. US/12/2021	1990C 110. VI	



### Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

IARC: 2A - Group 2A: Probably carcinogenic to humans (Lead nitrate)

2A - Group 2A: Probably carcinogenic to humans (Lead nitrate)

### Reproductive toxicity

Known human reproductive toxicant

Developmental Toxicity - Rat

Specific Developmental Abnormalities: Central nervous system.

### Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: OG2100000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., Lead salts have been reported to cross the placenta and to induce embryo - and feto- mortality.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 1,5 mg/l - 96,0 h

LC50 - Cyprinus carpio (Carp) - 0,4 - 1,3 mg/l - 96,0 h

Toxicity to daphnia and

other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 0,5 - 2,0 mg/l - 48 h

#### 12.2 Persistence and degradability

No data available

# 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

R/D-SOP-001-F02	Page 6 of 8	Issue Date: 03/11/2024	Effective Date:03/12/2024	Review Date: 03/12/2027	Issue No. 01	ı
-----------------	-------------	------------------------	---------------------------	-------------------------	--------------	---



#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

# Contaminated packaging

Dispose of as unused product.

#### **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 1469 IMDG: 1469 IATA: 1469

14.2 UN proper shipping name

ADR/RÍD: LEAD NITRATE IMDG: LEAD NITRATE IATA: Lead nitrate

14.3 Transport hazard class(es)

ADR/RID: 5.1 (6.1) IMDG: 5.1 (6.1) IATA: 5.1 (6.1)

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

14.6 Special precautions for user

No data available

### **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 453/2010.

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Authorisations and/or restrictions on use

Lead nitrate CAS-No.: 10099-74-8

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

Toxic for reproduction (article 57c)

Lead nitrate CAS-No.: 10099-74-8

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous

substances, preparations and articles (Annex XVII)

Toxic to reproduction: category 1A Restricted to professional users.

See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

Lead nitrate CAS-No.: 10099-74-8

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous

substances, preparations and articles (Annex XVII)

Shall not be placed on the market or used in any individual part of jewellery articles if the concentration of lead (expressed as metal) in such a part is equal to or greater than 0.05 % by weight

See Commission Regulation (EU) No 836/2012 for Conditions of restriction

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

Full text of H-Statements referred to under sections 2 and 3.

R/D-SOP-001-F	2 Page 7 of 8	Issue Date: 03/11/2024	Effective Date:03/12/2024	Review Date: 03/12/2027	Issue No. 01	l
---------------	---------------	------------------------	---------------------------	-------------------------	--------------	---



H272 May intensify fire; oxidizer. H302 Harmful if swallowed.

H302 + H332 Harmful if swallowed or if inhaled Causes serious eye damage.

H332 Harmful if inhaled.

H360Df May damage the unborn child. Suspected of damaging fertility.

H361f Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.