

Material Safety Data Sheet

Version:01 Revision Date 7/5/2025

	110 (151011 2 010 1) (1,10) 2 010		
Section 1. Product Information and Company Identification			
Product name	Kjeldahl Catalyst		
Mol. formula	K2SO4, CuSO4·5H2O CAS No		
Mol.wt	-		
Manufacturer	Pioneers for laboratory chemicals		
name			
Brand name	Piochem		
Address	Area 540, Industrial Zone 6th October city Giza, Egypt.		
Website	www.piochem.com		
E-mail	info@piochem.com		
Phone number	+201225728304, +201023932115		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Long-term (chronic) aquatic H412: Harmful to aquatic life with long hazard, (Category 3) lasting effects.



2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram none Signal Word none

Hazard Statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

P273 Avoid release to the environment.

P501 Dispose of contents/ container to an approved waste disposal

plant.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram none
Signal Word none

Hazard Statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements none Supplemental Hazard none

Statements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Component		Classification	Concentration
Copper(II) sulphate			
CAS-No.	7758-98-7	Acute Tox. 4; Skin Irrit. 2;	>= 0,25 - < 1
EC-No.	231-847-6	Eye Irrit. 2; Aquatic Acute	%
Index-No.	029-004-00-0	1; Aquatic Chronic 1;	
Registration	01-2119520566-40-	H302, H315, H319, H400,	



number	XXXX	H410
		M-Factor - Aquatic Acute:
		10 - Aquatic Chronic: 1
		Acute oral toxicity: 481
		mg/kg

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with

water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Sulfur oxides

Potassium oxides

Sodium oxides

Not combustible.

Fire may cause evolution of:

Sulfur oxides

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.



5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses



Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P1

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state solidb) Color bluec) Odor odorless

d) Melting No data available

point/freezing point

e) Initial boiling point No data available and boiling range

f) Flammability (solid, The product is not flammable.

gas)

R/D-SOP-001-F02 | Page 5 of 10 | Issue Date: 03/11/2024 | Effective Date: 03/12/2024 | Review Date: 03/12/2027 | Issue No. 01



Upper/lower No data available flammability or

explosive limits

h) Flash point Not applicable

Autoignition temperature Not applicable

Decomposition temperature

No data available

k) pН ca.6,1 at 100 g/l at 20 °C

I) Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

ca.100 g/l at 20 °C m) Water solubility n) Partition coefficient:

n-octanol/water

No data available

No data available o) Vapor pressure p) Density No data available No data available Relative density

q) Relative vapor density

No data available

r) Particle

No data available

characteristics

s) Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

the constituents may react with: hydroxylamine

10.4 Conditions to avoid

no information available no information available



10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Hazardous properties cannot be excluded but are unlikely when the product is handled

appropriately.



Components

Copper(II) sulphate

Acute toxicity

LD50 Oral - Rat - male and female - 481 mg/kg

(OECD Test Guideline 401)

Acute toxicity estimate Oral - 481 mg/kg

(Acute toxicity estimate according to Regulation (EC) No. 1272/2008)

Inhalation: No data available

LD50 Dermal - Rat - male and female - > 2.000 mg/kg

(OECD Test Guideline 402)

Skin corrosion/irritation

Remarks: Causes skin irritation.

Serious eye damage/eye irritation

Remarks: Causes serious eye irritation.

Respiratory or skin sensitization

Freund's complete adjuvant test - Guinea pig

Result: negative

(OECD Test Guideline 406)

The value is given in analogy to the following substances: Copper sulphate

pentahydrate

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 486 Species: Rat - male - Liver cells

Result: negative

Method: Mutagenicity (micronucleus test)

Species: Mouse - male and female - Red blood cells (erythrocytes)

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

Possible risk of congenital malformation in the fetus.

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available



SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

> considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Discharge into the environment must be avoided.

Components

Copper(II) sulphate

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - 0,032

mg/l - 96 h

Remarks: (ECOTOX Database)

Toxicity to daphnia

static test EC50 - Daphnia magna (Water flea) - 0,092 mg/l -

and other aquatic

48 h invertebrates (OECD Test Guideline 202)

Remarks: (anhydrous substance)

Toxicity to daphnia and other aquatic

semi-static test NOEC - Daphnia magna (Water flea) - 0,028

mg/l - 21 d invertebrates(Chronic (OECD Test Guideline 211)

toxicity)

R/D-SOP-001-F02 Issue Date: 03/11/2024 | Effective Date: 03/12/2024 Review Date: 03/12/2027 Issue No. 01 Page 9 of 10



SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

14.1 UN number

ADR/RID: -IMDG: -IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods Not dangerous goods IATA:

14.3 Transport hazard class(es)

ADR/RID: -IATA: -IMDG: -

14.4 Packaging group

ADR/RID: -IMDG: -IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements

H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.