

Material Safety Data Sheet

Section1. Product Information and Company Identification			
Product name	Diethyl oxalate		
Mol.formula	C6H10O4	Cas no	95-92-1
Mol.wt	146 g/mol		
Manufacture name	Pioneers for laboratory chemicals		
Brand name	Piochem		
Address	Area 540, Industrial Zone 6 th October city Giza, Egypt.		
Website	www.piochem.com		
E-mail	info@piochem.com		
Phone number	+201225728304 , +201023932115		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 4), H302

Skin corrosion (Category 1A), H314

Reproductive toxicity (Category 1B), H360FD

Specific target organ toxicity - single exposure, Dermal (Category 2), Kidney, H371

Specific target organ toxicity - repeated exposure, Oral (Category 1), Kidney, H372

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H302

H314

Harmful if swallowed.

Causes severe skin burns and eye damage.

H360FD	May damage fertility. May damage the unborn child.
H371	May cause damage to organs (Kidney) in contact with skin.
H372	Causes damage to organs (Kidney) through prolonged or repeated exposure if swallowed.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P311	IF exposed or concerned: Call a POISON CENTER/doctor.
P310	Immediately call a POISON CENTER/doctor.
Supplemental Hazard Statements	none
Restricted to professional users.	

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula	: C ₆ H ₁₀ O ₄
Molecular weight	: 146.14 g/mol
CAS-No.	: 95-92-1
EC-No.	: 202-464-1
Index-No.	: 607-147-00-5

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Diethyl oxalate			
CAS-No.	95-92-1	Acute Tox. 4; Skin Corr. 1A;	<= 100 %
EC-No.	202-464-1	Repr. 1B; STOT SE 2; STOT	
Index-No.	607-147-00-5	RE 1; H302, H314, H360FD, H371, H372	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Avoid exposure - obtain special instructions before use.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Exposure to moisture

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (US) or type ABEK (EN 14387) respirator cartridges as a backup to enginee protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance	Form: liquid Colour: colourless
b) Odour	No data available
c) Odour Threshold	No data available
d) pH	No data available
e) Melting point/freezing point	Melting point/range: -41 °C
f) Initial boiling point and boiling range	185 °C
g) Flash point	75 °C - closed cup
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	Upper explosion limit: 2.67 %(V) Lower explosion limit: 0.42 %(V)
k) Vapour pressure	1 mmHg at 47 °C
l) Vapour density	5.85
m) Relative density	1.078-1.079 g/mL at 20 °C

n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	log Pow: 1.31 at 25 °C
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	Not explosive
t)	Oxidizing properties	The substance or mixture is not classified as oxidizing.

9.2 Other safety information

Surface tension	32.22
Relative vapour density	5.85

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - > 400 mg/kg(Diethyl oxalate) LD50

Dermal - Rat - > 2,000 mg/kg(Diethyl oxalate)

Skin corrosion/irritation

Skin - in vitro assay(Diethyl oxalate)

Result: Causes severe burns.

(Skin corrosion: Human Skin Model Test)

Serious eye damage/eye irritation

No data available(Diethyl oxalate)

Respiratory or skin sensitisation

Did not cause sensitisation on laboratory animals.(Diethyl oxalate)

Germ cell mutagenicity

In vitro tests did not show mutagenic effects(Diethyl oxalate)

Chromosome aberration test in vitro(Diethyl oxalate)

Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

Presumed human reproductive toxicant May damage the unborn child.(Diethyl oxalate)

May damage fertility.(Diethyl oxalate)

Specific target organ toxicity - single exposure

Skin contact - May cause damage to organs. - Kidney(Diethyl oxalate)

Specific target organ toxicity - repeated exposure

Oral - Causes damage to organs through prolonged or repeated exposure. - Kidney

Aspiration hazard

No data available(Diethyl oxalate)

Additional Information

RTECS: RO2800000

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	LC0 - Leuciscus idus melanotus - 108 mg/l - 48 h(Diethyl oxalate)
	LC50 - Poecilia reticulata (guppy) - 97.36 mg/l - 96 h(Diethyl oxalate)
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 100 mg/l - 24 h(Diethyl oxalate)
Toxicity to algae	ErC50 - Desmodesmus subspicatus (green algae) - 77.1 mg/l - 72 h(Diethyl oxalate)

12.2 Persistence and degradability

Biodegradability Result: 67.9 % - Biodegradable
(OECD Test Guideline 301D)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available(Diethyl oxalate)

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Harmful to aquatic life.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product

SECTION 14: Transport information

14.1 UN number

ADR/RID: 2525

IMDG: 2525

IATA: 2525

14.2 UN proper shipping name

ADR/RID: ETHYL OXALATE

IMDG: ETHYL OXALATE

IATA: ETHYL OXALATE

14.3 Transport hazard class(es)

ADR/RID: 6.1

IMDG: 6.1

IATA: 6.1

14.4 Packaging group

ADR/RID: III

IMDG: III

IATA: III

14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

14.6 Special precautions for user

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H360FD	May damage fertility. May damage the unborn child.
H371	May cause damage to organs (/*_ORG_SING_DERM*/) in contact with skin.
H372	Causes damage to organs through prolonged or repeated exposure if swallowed.