

Material Safety Data Sheet

Section1. Product Information and Company Identification				
Product name	Sodium Azide			
Mol.formula	N3Na	Cas no	26628-22-8	
Mol.wt	65,01 g/mol			
Manfacture name	Pioneers for laboratory chemicals			
Brand name	Piochem			
Address	Area 540, Industrial Zone 6 th October city Giza, Egypt.			
Website	www.piochem.com			
E-mail	info@piochem.com			
Phone number	+201225728304 ,+201023932115			

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 2), H300 Acute toxicity, Dermal (Category 1), H310

Specific target organ toxicity - repeated exposure, Oral (Category 2), Brain, H373

Acute aquatic toxicity (Category 1), H400

Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Hazardous to the Acute toxicity Aspiration hazardagustic environment

Signal word Danger

Hazard statement(s)

H300 + H310 Fatal if swallowed or in contact with skin

H373 May cause damage to organs (Brain) through prolonged or repeated

exposure if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER or doctor/

physician. Rinse mouth.

P302 + P352 + P310 IF ON SKIN: Wash with plenty of water. Immediately call a POISON

CENTER or doctor/ physician.

P391 Collect spillage.

P501 Dispose of contents/ container to an approved waste disposal plant.

Supplemental Hazard information (EU)

EUH032 Contact with acids liberates very toxic gas.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Sodium Azide may react with lead and copper plumbing to form highly explosive metal azides., Rapidly absorbed through skin.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula : N3Na

Molecular weight : 65,01 g/mol
CAS-No. : 26628-22-8
EC-No. : 247-852-1
Index-No. : 011-004-00-7

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component Classification Concentration

Sodium azide

CAS-No. 26628-22-8 Acute Tox. 2; Acute Tox. 1; <= 100 %

EC-No. 247-852-1 STOT RE 2; Aquatic Acute 1; Index-No. 011-004-00-7 Aquatic Chronic 1; H300,

H310, H373, H400, H410 M-Factor - Aquatic Acute: 1

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Dry powder

5.2 Special hazards arising from the substance or mixture

Sodium oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Never allow product to get in contact with water during storage. Do not store near acids.

Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

m) Relative density

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: crystalline Colour: white
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	10 at 65 g/l at 25 °C
e)	Melting point/freezing point	275 °C
f)	Initial boiling point and boiling range	No data available
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The product is not flammable Flammability (solids)
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	0,01 hPa at 20 °C
l)	Vapour density	No data available

1,850 g/cm3

n) Water solubility 65 g/l at 20 °C - completely soluble

o) Partition coefficient: n-

octanol/water

No data available

p) Auto-ignition 309 °C at 1.013 hPa

temperature

q) Decomposition temperature

300 °C -

r) Viscosity No data available
 s) Explosive properties Not explosive
 t) Oxidizing properties No data available

9.2 Other safety information

Bulk density 0,8 kg/m3

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

An explosion occurred when a mixture of sodium azide, methylene chloride, dimethyl sulfoxide, and sulfuric acid were being concentrated on a rotary evaporator.

10.5 Incompatible materials

Halogenated hydrocarbon, Metals, Acids, Acid chlorides, Hydrazine, Dimethyl sulfate, Inorganic acid chlorides

10.6 Hazardous decomposition products

Other decomposition products - No data available In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available

Dermal: No data available

Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)

Result: No skin irritation - 15 min

Serious eye damage/eye irritation

Eyes - Bovine cornea Result: No eye irritation - 4 h (OECD Test Guideline 437)

Respiratory or skin sensitisation

in vivo assay - Mouse

Result: Does not cause skin sensitisation.

(OECD Test Guideline 429)

Germ cell mutagenicity

No data available

Carcinogenicity

Carcinogenicity - Rat - male and female - Oral No significant adverse effects were reported

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Oral - May cause damage to organs through prolonged or repeated exposure. - Brain

Aspiration hazard

No data available

Additional Information

Repeated dose Rat - male and female - Oral - LOAEL: 5 mg/kg

toxicity

RTECS: VY8050000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Nausea, Headache, Vomiting, Laboratory experiments in animals have shown sodium azide to produce a profound hypotensive effect, demyelination of myelinated nerve fibers in the central nervous system, testicular damage, blindness, attacks of rigidity, and hepatic and cerebral effects., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish mortality LC50 - Pimephales promelas (fathead minnow) - 5,46 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to algae static test EC50 - Pseudokirchneriella subcapitata - 0,35 mg/l - 96 h

(OECD Test Guideline 201)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1687 IMDG: 1687 IATA: 1687

14.2 UN proper shipping name

ADR/RID: SODIUM AZIDE IMDG: SODIUM AZIDE IATA: Sodium azide

14.3 Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

14.6 Special precautions for user

No data available

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 453/2010.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

EUH032 Contact with acids liberates very toxic gas.

H300 Fatal if swallowed.

H300 + H310 Fatal if swallowed or in contact with skin

H310 Fatal in contact with skin.

H373 May cause damage to organs (/\$/*_ORG_REP_ORAL/\$/) through prolonged or

repeated exposure if swallowed.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.