

# Material Safety Data Sheet

Section1. Product Information and Company Identification			
<b>Product name</b>	Benzyl Chloride		
<b>Mol.formula</b>	C7H7Cl	<b>Cas no</b>	100-44-7
<b>Mol.wt</b>	126.58 g/mol		
<b>Manufacture name</b>	Pioneers for laboratory chemicals		
<b>Brand name</b>	Piochem		
<b>Address</b>	Area 540, Industrial Zone 6 <sup>th</sup> October city Giza, Egypt.		
<b>Website</b>	www.piochem.com		
<b>E-mail</b>	info@piochem.com		
<b>Phone number</b>	+201225728304 , +201023932115		

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 1), H330

Skin irritation (Category 2), H315

Serious eye damage (Category 1), H318

Skin sensitisation (Category 1), H317

Germ cell mutagenicity (Category 1B), H340

Carcinogenicity (Category 1B), H350

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Specific target organ toxicity - repeated exposure (Category 2), H373

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### Classification according to EU Directives 67/548/EEC or 1999/45/EC

T+ Very toxic R26

T Toxic R46

Xn Harmful R22, R48/22

Xi Irritant R43

Xi Irritant R41, R37/38

T Toxic R45

For the full text of the R-phrases mentioned in this Section, see Section 16.

### 2.2 Label elements

#### Labelling according Regulation (EC) No 1272/2008

## Pictogram



## Signal word

Danger Acute toxicity Aspiration hazard Corrosive to metals

## Hazard statement(s)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

## Precautionary statement(s)

P201	Obtain special instructions before use.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P280	Wear eye protection/ face protection.
P280	Wear protective gloves.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

## Supplemental Hazard Statements

none

Restricted to professional users.

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.  
Lachrymator.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Synonyms	:	$\alpha$ -Chlorotoluene
Formula	:	C <sub>7</sub> H <sub>7</sub> Cl
Molecular weight	:	126,59 g/mol
CAS-No.	:	100-44-7
Registration number	:	01-2119480483-35-XXXX

### Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
<b>Benzyl chloride</b>			
CAS-No.	100-44-7	Acute Tox. 4; Acute Tox. 1;	<= 100 %
EC-No.	202-853-6	Skin Irrit. 2; Eye Dam. 1; Skin	
Index-No.	602-037-00-3	Sens. 1; Carc. 1B; STOT SE 3; STOT RE 2; H302, H315, H317, H318, H330, H335, H350, H373	

**Methyloxirane** Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)

CAS-No.	75-56-9	Flam. Liq. 1; Carc. 1B; Muta.	>= 1 - < 3 %
EC-No.	200-879-2	1B; Acute Tox. 4; Eye Irrit. 2;	
Index-No.	603-055-00-4	STOT SE 3; Skin Irrit. 2; H224,	

Registration number 01-2119480483-35-XXXX H302, H312, H315, H319,  
H332, H335, H340, H350

**Hazardous ingredients according to Directive 1999/45/EC**

Component		Classification	Concentration
<b>Benzyl chloride</b>			
CAS-No.	100-44-7	T+, R22 - R26 - R37/38 - R41	<= 100 %
EC-No.	202-853-6	- R43 - R45 - R48/22	
Index-No.	602-037-00-3		

**Methyloxirane** Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)

CAS-No.	75-56-9	F+, T, Carc.Cat.2, Mut.Cat.2,	>= 0,1 - < 10 %
EC-No.	200-879-2	R45 - R46 - R12 - R20/21/22 -	
Index-No.	603-055-00-4	R36/37/38	
Registration number	01-2119480483-35-XXXX		

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

**General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

**If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**In case of skin contact**

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

**In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

**Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**5.2 Special hazards arising from the substance or mixture**

Carbon oxides, Hydrogen chloride gas

**5.3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

**5.4 Further information**

Use water spray to cool unopened containers.

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
For personal protection see section 8.

### **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### **6.3 Methods and materials for containment and cleaning up**

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

### **6.4 Reference to other sections**

For disposal see section 13.

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Avoid exposure - obtain special instructions before use.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

### **7.2 Conditions for safe storage, including any incompatibilities**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Light sensitive. Moisture sensitive.

Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

### **7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

**Components with workplace control parameters**

### **8.2 Exposure controls**

#### **Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### **Personal protective equipment**

##### **Eye/face protection**

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

##### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

**Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

a) Appearance	Form: liquid Colour: colourless
b) Odour	pungent
c) Odour Threshold	No data available
d) pH	No data available
e) Melting point/freezing point	Melting point/range: -43 °C - lit.
f) Initial boiling point and boiling range	177 - 181 °C - lit.
g) Flash point	67 °C
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	Upper explosion limit: 14 %(V) Lower explosion limit: 1,1 %(V)
k) Vapour pressure	1,60 hPa at 25 °C
l) Vapour density	4,37 - (Air = 1.0)
m) Relative density	1.097-1.101 g/cm <sup>3</sup> at 20 °C
n) Water solubility	No data available
o) Partition coefficient: n-octanol/water	log Pow: 2,3
p) Auto-ignition temperature	585 °C at 1.030 hPa
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

- 9.2 Other safety information** 37,8 mN/m at 20 °C  
Surface tension 4,37 - (Air = 1.0)  
Relative vapour density

## **SECTION 10: Stability and reactivity**

### **10.1 Reactivity**

No data available

### **10.2 Chemical stability**

Stable under recommended storage conditions.

Contains the following stabiliser(s):

Methyloxirane (<=1 %)

### **10.3 Possibility of hazardous reactions**

No data available

### **10.4 Conditions to avoid**

Heat, flames and sparks.

### **10.5 Incompatible materials**

Contact with common metals (except nickel and lead) or moisture produces a Friedel-Crafts, condensation type reaction with the liberation of heat and formation of toxic and corrosive hydrogen chloride. Hydrolyzes very slowly to form hydrogen chloride and benzyl alcohol. This product is not sensitive to physical impact.

When stabilized with propylene oxide, the possibility of a Friedel-Crafts type reaction is minimized.

Depletion of the stabilizer increases the possibility of condensation reactions, Oxidizing agents, Iron and iron salts., Brass, Aluminum

### **10.6 Hazardous decomposition products**

Other decomposition products - No data available

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

### **11.1 Information on toxicological effects**

#### **Acute toxicity**

LD50 Oral - Rat - male and female - 560 mg/kg  
(OECD Test Guideline 401)

LC50 Inhalation - Mouse - 4 h - 0,27 mg/l

#### **Skin corrosion/irritation**

Skin - Rabbit

Result: Irritating to skin. - 4 h  
(OECD Test Guideline 404)

#### **Serious eye damage/eye irritation**

No data available

#### **Respiratory or skin sensitisation**

- Mouse

Result: May cause sensitisation by skin contact.  
(OECD Test Guideline 429)

#### **Germ cell mutagenicity**

S. typhimurium

Result: This material has shown a positive Ames test, an in vitro test that indicates a possible potential to produce a carcinogenic effect.

Mutagenicity (micronucleus test)

Mouse

Result: negative

## **Carcinogenicity**

This product is or contains a component that has been reported to be probably carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

Possible human carcinogen

IARC: 2A - Group 2A: Probably carcinogenic to humans (Benzyl chloride)

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Methyloxirane)

## **Reproductive toxicity**

No data available

## **Specific target organ toxicity - single exposure**

No data available

## **Specific target organ toxicity - repeated exposure**

No data available

## **Aspiration hazard**

No data available

## **Additional Information**

RTECS: XS8925000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

Toxicity to fish	LC50 - Danio rerio (zebra fish) - 4 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	Immobilization EC50 - Daphnia magna (Water flea) - 6,1 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	Growth inhibition EC50 - Pseudokirchneriella subcapitata (algae) - 19,3 mg/l - 72 h (OECD Test Guideline 201)

### **12.2 Persistence and degradability**

Biodegradability	aerobic - Exposure time 28 d Result: 71 % - Readily biodegradable (OECD Test Guideline 301C)
------------------	----------------------------------------------------------------------------------------------------

### **12.3 Bioaccumulative potential**

No data available

### **12.4 Mobility in soil**

No data available

### **12.5 Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

Toxic to aquatic life.

No data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: 1738

IMDG: 1738

IATA: 1738

### 14.2 UN proper shipping name

ADR/RID: BENZYL CHLORIDE

IMDG: BENZYL CHLORIDE

IATA: Benzyl chloride

### 14.3 Transport hazard class(es)

ADR/RID: 6.1 (8)

IMDG: 6.1 (8)

IATA: 6.1 (8)

### 14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

### 14.6 Special precautions for user

No data available

## SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Authorisations and/or restrictions on use

Methyloxirane

CAS-No.: 75-56-9

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

Carcinogenic (article 57a)

### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

## SECTION 16: Other information

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.

Acute toxicity

Carc.

Carcinogenicity

Eye Dam.

Serious eye damage

Eye Irrit.

Eye irritation

Flam. Liq.

Flammable liquids

H224

Extremely flammable liquid and vapour.



H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
Muta.	Germ cell mutagenicity
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitisation
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure

**Full text of R-phrases referred to under sections 2 and 3**

F+	Extremely flammable
R12	Extremely flammable.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R22	Harmful if swallowed.
R26	Very toxic by inhalation.
R36/37/38	Irritating to eyes, respiratory system and skin.
R37/38	Irritating to respiratory system and skin.
R41	Risk of serious damage to eyes.
R43	May cause sensitisation by skin contact.
R45	May cause cancer.
T	Toxic
T+	Very toxic
R46	May cause heritable genetic damage.
R48/22	Harmful: danger of serious damage to health by prolonged exposure if swallowed.